NOTICE TO CONTRACTORS

CALL ORDER 600

FEDERAL PROJECT NO. IM-80-4(137)

LOCATION: I-80, GOTHENBURG EAST & WEST COUNTIES: DAWSON LINCOLN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 03, 2011 . At that time the bids will be opened and read for CULV SEED BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 9.9 MILES

START DATE 04/02/2012 WORKING DAYS 120 Price Range \$ 4,000,000 to \$ 7,000,000 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at NORTH PLATTE Additional letting information may be found at the Nebraska Department of Roads Web Site at http://www.dor.state.ne.us/letting/.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	75	SHEETS	\$ 18.75
CROSS SECTIONS (SHEETS X1 THRU X6)	6	SHEETS	\$ 1.50
STANDARD PLANS	11	SHEETS	\$ 2.75

SHEET NO.

2-S1 - 2-S8 2-S9 - 2-S11	& PROPOSED CONCRETE MILLING/TEMPLATE CORRECTION
2-A1 - 2-A10	
2-H1 - 2-H3 2-N1	HORIZONTAL ALIGNMENT & ORIENTATION GENERAL INFORMATION
= -:=	GENERAL INFORMATIONMILLED RUMBLE STRIPS
3 - 12	PLAN SHEETS
13	TYPICAL TRAFFIC CONTROL PLANTYPICAL LANE CLOSURE
	(FREEWAY-INTERSTATE)
14	TYPICAL TRAFFIC CONTROL PLANPIER COLUMN PROTECTION
15	CONCRETE BARRIER PLACEMENT TYPICAL TRAFFIC CONTROL PLANINERTIAL BARRIER SYSTEM
16	TYPICAL TRAFFIC CONTROL PLANINERTIAL BARRIER SISTEM TRAFFIC CONTROL PLANWORK IN VICINITY OF EXIT RAMP & ON RAMP
17	TEMPORARY PAVEMENT MARKING PLAN
18	TYPICAL PAVEMENT MARKING PLAN5" PAVEMENT MARKING
19	TYPICAL PAVEMENT MARKING PLANINTERSTATE/EXPRESSWAY
20	EARTHWORK DATA SHEET
21 - 22	SPECIAL PLAN 1 BRIDGE REPAIR
	STA. 1841+60.00
23 - 24	SPECIAL PLAN 1C PIER COLUMN PROTECTION
0.5	STA. 1639+30.00
25 - 26	SPECIAL PLAN 2C PIER COLUMN PROTECTION
2.7	STA. 1889+87.00 SPECIAL PLAN 3C PAVEMENT APPROACH REPAIR
21	REF. POST NO. 210+88
28 - 36	SPECIAL PLAN 4C GUARDRAIL PLAN
37 - 38	SPECIAL PLAN 5C SAFETY SLOPED END SECTIONS
	(CORRUGATED METAL & CONCRETE PIPE)
	SPECIAL PLAN 6C CONCRETE PROTECTION BARRIER
X1 - X6	CROSS SECTIONS

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
413-R2	BAR GRATE FOR FLARED END SECTIONS
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
902-R1	HIGHWAY DELINEATORS FOR RAMP AND GORE LOCATIONS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE FLARED- END SECTION		9 EACH
BAR GRATE FOR 18" CONC FES		7 EACH
18" SAFETY SLOPED END SECTION		1 EACH
18" CONCRETE FLARED-END SECTION		8 EACH
GROUP 5 SEEDING		

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		17 ACRE
MULCH		34 TON

GROUP 6 BRIDGE AT STA. 1841+60.00 RT.

MOBILIZATION	LUMP		LUMP
ABUTMENT REPAIR		45	SF

GROUP 6A BRIDGE AT STA. 1841+60.00 LT.

MOBILIZATION	LUMP		LUMP
CONCRETE REPAIR		24	SF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
PREPARATION OF STRUCTURE	1	EACH
AT STA. 1639+30.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 1889+87.00		
47BD-4000 CONC FOR PIER PROTECTION	14	CY
EPOXY COAT RE-STEEL FOR PIER PROTECTION	3,855	LB
W-BEAM GUARDRAIL	725	LF
REMOVE GUARDRAIL	956	LF
BRIDGE APPROACH SECTIONS	4	EACH
GUARDRAIL END TREATMENT, TYPE I	4	EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	2,026	CT7
	•	
OVERLAY SOLID LINES	4,108	STA
MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	186	CY
DELINEATOR, TYPE I	258	EACH
DELINEATOR, TYPE II	78	EACH
REMOVE DELINEATOR UNITS	336	EACH
REMOVE PAVEMENT	281	SY
CONC PVMT REPAIR TYPE A FULL DEPTH	3	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	138	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	319	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	112	CY
CONC PVMT, PR-3500	664	CY
JOINT REPAIR		

BRIDGE APPROACH REPAIR	1	CY
5" WHT WET RFLC THERMOPLSTC PVMT MRK, GVD	134,200	LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK, GVD		T.F
12" WHT WET RFLC PRF PVMT MKNG T4 GVD	3,200	
HYDRATED LIME FOR ASPHALT MIXTURES	476	
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		TON
FOUNDATION COURSE REPLACEMENT		CY
ASPH CONC ST MAINT PATCH TYPE SP5 (0.5)		TON
ASPH CONC, TYPE SPS	11,770	
ASPH CONC, TYPE SP5(0.5)	46,720	
PERF GRAD BIND (70-28) FOR ST MAINT PATCH		TON
PERF GRADED BINDER (70-28)	2,616	
PERF GRADED BINDER (52-34)		TON
TACK COAT	71,220	
WATER	357	MGAL
EARTH SHOULDER CONSTRUCTION	1,427	STA
MILLING FOR ASPH CONC INLAY	5	EACH
MILLING CONC FOR INLAYS	6	EACH
RUMBLE STRIPS, ASPHALT	1,366	STA
CONCRETE SURFACE MILLING	236	STA
CONCRETE SURFACE MILLING		STA
TYPE A		
SURFACE UNDER GUARDRAIL	1,074	QV
RAP INCENTIVE PAYMENT	99,433	
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	TIMD
FABRIC SILT FENCE-LOW POROSITY	1,091	
FABRIC SILI FENCE-LOW FOROSIII	1,091	ΔГ
GROUP 10 GENERAL ITEMS		
SURV OF TEMP TRAFFIC CONT DEVICES	216	CDAY
BARRICADE, TYPE II	41,200	
BARRICADE, TYPE III	1,276	
•		
TEMPORARY SIGN DAY	2,688	
SIGN DAY	8,659	
FLASHING ARROW PANEL		DAY
CONCRETE PROTECTION BARRIER	1,000	
INERTIAL BARRIER SYSTEM		EACH
REPLACEMENT MODULE		EACH
FIELD OFFICE		EACH
TRAINING	1,000	
MOBILIZATION	LUMP	
RENTAL OF LOADER, FULLY OPERATED	25	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	25	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	25	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	25	HOUR
TEMPORARY SILT FENCE	1,500	LF
TEMPORARY MILLOH		TON

4 TON

TEMPORARY MULCH